



Ohio Private Industry

2012 Survey of Occupational Injuries and Illnesses


Incidence rates by Ownership and Case Type



Incident rate in Ohio Private industry, 2012




Incidence rates per 100 FT workers by major industry sector




Number of injuries per 100 FT workers

U.S. States - www.50states.com



Total Recordable Cases Private industry




OHIO TRC



Total recordable cases


- Days away from work cases – 32,300
- Days with job restrictions/transfer cases – 22,800
- No loss time cases – 58,400

Private Industry number of DAFW cases by gender




Number of DAFW cases by age range

Number of Cases




DAFW Cases by length of service

Number of Cases




DAFW Injuries by industry sector


Number of Injuries




Male workers with DAFW Cases




Female workers with DAFW Cases




DAFW Cases by age group and industry age group 20 to 24




DAFW Cases by age group and industry age group 25 to 34




DAFW Cases by age group and industry age group 35 to 44




DAFW Cases by age group and industry age group 55-64




DAFW Cases by age group and industry age group 65 & over




DAFW Cases by length of service



DAFW Cases by time of day




DAFW Cases by hours on the job




DAFW Cases by day of week


Percentage



Number of Cases involving DAFW by Occupation




DAFW Cases by nature of injury




DAFW Cases by body part of injury


Percentages



Upper Extremities 31.7 %




Lower Extremities 21.4%




DAFW Cases by source of injury

Percentages




DAFW Cases by event or exposure

Percentages




Slips, Trips, Falls 31.7%




- Slips, trips without fall
- Fall on same level
- Fall to lower level

24.7% of Nonfatal Occupational injuries and illnesses involved > 31 DAFW



20.1% of Nonfatal Occupational injuries & illnesses involved **3 to 5 DAFW**



Percentage of Cases with DAFW by number of days away

